

The Wilson Express™ Has Arrived...

**...And It Will Forever Change
The Way You Set Up Your
Press Brake!**



Express
Clamping System

The Wilson Express Clamping System is a new, highly advanced series of punch holders that include a host of unique and innovative features designed to allow you to set up your press brake fast. Really fast!

1a



1. Loading Punches Is A Snap

16.34" (415mm) long punches and individual pieces of sectionalized punches are loaded by simply placing them under the clamps and pushing them upward (See photo 1a). No need to slide them in from the end of the machine. The clamps are locked by pushing up the removable locking lever (See photo 1b). No tools required!

1b



2. Unloading Punches Is Fast And Simple

The clamps are unlocked by simply pulling the locking lever down. Small punch sections may then be removed by pushing inward on the top of the clamps (See photo 2). No need to slide them out the end of the machine.

2



3. High-Tech Clamps

The clamps are produced from a spring steel and are serrated. This allows them to flex to adjust for minor variations in thickness when using sectionalized punches. In addition, the clamps may be removed and re-installed by hand (See photo 3). This enables you to remove them from units that are not in use, thus eliminating the need to slide 32.87" (835mm) and 16.34" (415mm) long punches out the end of the machine.

3



4. Dual Clamping Is Standard

Enables you to load punches with the relief area facing forward or toward the rear of the machine or both if necessary (See photo 4). And, both front and rear clamps are opened and closed simultaneously when the locking lever is actuated.

4



5. Uses Standard Tooling

Unlike other so-called "quick clamping systems," the Wilson Express Clamping System is designed to use standard off-the-shelf European (Promecam®) style tooling with a safety groove (See photo 5). There is no need for a special type of tooling and you won't have to repurchase the system with every tool that you order.

5



• No Hydraulics Required

The Wilson Express Clamping System is of a mechanical design and does not require expensive hydraulics. There is no possibility of leaks or punches being released in the event of a power failure.

• Available For Your Press Brake

The Wilson Express Clamping System is available for virtually all makes and models of press brakes in versions with and without adjustment wedges.

• Call For A Free Demonstration

Scheduling a free demonstration of this exciting new technology is also fast and easy. Simply contact your local Wilson Tool International® sales engineer or our tooling sales desk at **800-445-4518**, or fax us at **800-539-4590** to schedule a free demonstration at your facility.

Call us now on **0800 373748** or **1-800 709009** in Ireland for more information.

Wilson Tool International Ltd
Stirling Road
South Marston Industrial Estate
Swindon
Wiltshire
SN3 4TQ

Free phone: 0800 373748
Tel free: 1-800 709009 (Ireland)
+44 (0) 1793 831818
Free fax: 0800 373758
Fax free: 1-800 535538 (Ireland)
+44 (0) 1793 831945/6





Distribuitor:



S.C. SM TECH SRL

Tehnologii și soluții pentru industria prelucrării tablelor

Tel: 0040-331-401599

Tel/Fax: 0040-231-515702

Tel Mob: 0040-745-528494

E-mail: info@sm-tech.ro

www.sm-tech.ro

www.wilsontool.ro

Vă stăm la dispoziție cu plăcere cu orice informație sau ofertă pentru scule
Wilson Tool destinate mașinii d-voastră de ștantat CNC

