



HP AND BASIX SPECIALS

FOR TRUMPF-
STYLE MACHINES

Distribuitor Romania :

S.C. SM TECH S.R.L.

www.wilsontool.ro

www.sm-tech.ro

office (at) sm-tech.ro

Tel : 0745-528494

Tel/Fax: 0231-515702



Lance and Form



Feature	● Standard Feature ○ Optional at extra cost		
100% compatible with Trumpf, Pullmax, Boschert and other machines that utilise the Trumpf-style tooling system.	●	●	●
3-day lead time.	●	●	●
Manufactured to Wilson Tool's superior quality standards and tolerances.	●	●	●
Designed for long production runs and top-quality forms.	●	●	
Designed for prototyping and shorter production runs.			●
Replaceable cutting inserts (punch plate and die insert) made from high speed steel for longer tool life.	●	●	
USB stick provided with tool for faster machine set-up.	●	●	●
Surface treated die cap for reduced pick-up and reduced sheet marking.	●	●	
Built-in locating collar for faster, more accurate machine set-ups. Also prevents the tool turning in the machine.	●	●	
Self-stripping die protects the cutting edges of the tool, helps reduce sheet distortion & allows sheet to pass over the tool safely.	●	●	●
Internal punch stripping with coil springs for accurate forming, faster stripping and the potential to vary spring pressure.	●	●	
External punch stripping with urethane strippers.			●
Quick disassembly and assembly for easier tool maintenance.	●	●	
Optima™ coating available on die insert for longer tool life.	○		
Ultima™ die insert available for longer tool life.	○		
OptiGlide die cap available for reduced sheet marking.	○		
Tool relieved to prevent damage to adjacent forms.	●	●	


Louvre



basix

Feature	<input checked="" type="radio"/> Standard Feature <input type="radio"/> Optional at extra cost		
100% compatible with Trumpf, Pullmax, Boschert and other machines that utilise the Trumpf-style tooling system.	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
5-day lead time.	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Same-day-shipping for standard louvre size (60mm x 12mm x 5mm).	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Manufactured to Wilson Tool's superior quality standards and tolerances.	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Designed for long production runs and top-quality forms.	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Designed for prototyping and shorter production runs.	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Reversible and replaceable punch cutting insert made from high speed steel for longer tool life.	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
USB stick provided with tool for faster machine set-up.	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Built-in locating collar for faster, more accurate machine set-ups. Also prevents the tool turning in the machine.	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Self-stripping die protects the cutting edges of the tool, helps reduce sheet distortion & allows sheet to pass over the tool safely.	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Quick disassembly and assembly for easier tool maintenance.	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Optima™ coated punch cutting insert and die insert as standard for longer tool life and reduced material pick-up.	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Ultima™ die insert available for longer tool life.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
OptiGlide die cap available for reduced sheet marking.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tool relieved as standard to prevent damage to adjacent forms.	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>

Emboss



Feature	● Standard Feature		
	○ Optional at extra cost		
100% compatible with Trumpf, Pullmax, Boschert and other machines that utilise the Trumpf-style tooling system.	●	●	●
2-day lead time.	●	●	●
Manufactured to Wilson Tool's superior quality standards and tolerances.	●	●	●
Designed for long production runs and top-quality forms.	●	●	
Designed for prototyping and shorter production runs.			●
Punch and die manufactured from high-speed steel for longer tool life.	●	●	
USB stick provided with tool for faster machine set-up.	●	●	●
Surface treated die cap for reduced pick-up and reduced sheet marking.	●	●	
Self-stripping die protects the forming edges of the tool, helps reduce sheet distortion & allows sheet to pass over the tool safely.	●	●	
OptiGlide die cap available for reduced sheet marking.	○	○	
Tool can be relieved to prevent damage to adjacent forms.	○	○	○

INTRODUCING HP AND BASIX SPECIALS

For Trumpf-Style Machines

Now available for users of Trumpf, Pullmax, Boschert and Euromac machines, two ranges of special tools with feature sets to suit different applications.

HP style special tools are Wilson Tool's premium product range for special forming applications, with features designed for long production runs and the highest quality forms. HP special tools are designed for the longest possible life and fastest possible machine set-ups. Optional material and coating enhancements can extend life even further, and relief is available to prevent damage to adjacent forms in your sheet metal components.

Basix style tools are Wilson Tool's lower cost range for special forming applications, with features designed for shorter production runs and prototype development. Basix special tools are also manufactured to Wilson Tool's superior quality standards and tolerances and with the same short lead times.

Two ranges of tooling with different features and different prices, to allow you to choose the best style of special tool depending on the number of components you have to produce and your tooling budget.

WILSON TOOL INTERNATIONAL (EUROPE) LTD

United Kingdom

European Headquarters

Stirling Road, South Marston
Industrial Estate, Swindon, Wiltshire
SN3 4TQ, United Kingdom
Tel (Free): 0800 373748
Tel: +44 (0)1793 831818
Fax (Free): 0800 373758
Fax: +44 (0)1793 831945
email: sales@wilsonstool.eu.com

France

Bat B,
51 Rue d'Ourdy, 77550 Réau, France
Tel: (Gratuit) 0800 10 29 00
Tel: +33 (0)1 64 13 47 80
Fax: (Gratuit) 0800 10 40 14
Fax: +33 (0)1 64 13 47 81
email: ventes@wilsonstool.eu.com

Germany

Gottlieb Daimler Str 2
31552 Rodenberg, Germany
Tel: (Frei) 00800 945 766 8665
Tel: +49 (0)5723 747 0
Fax: (Frei) 00800 945 766 329
Fax: +49 (0)5723 747 10
email: verkauf@wilsonstool.eu.com

Scandinavia

Ejby Industrivej 40
DK-2600 Glostrup, Denmark
Tel (Free): 80 20 20 24
Tel: +45 44 53 16 99
Fax (Free): 80 20 20 26
Fax: +45 44 53 06 07
email: salesdk@wilsonstool.eu.com

email: sales@wilsonstool.eu.com

Visit us online at: www.wilsonstool.com

United States

Worldwide Headquarters

12912 Farnham Avenue
White Bear Lake, MN 55110 USA
Tel (Free): 800 328 9646
Tel: (651) 426 9133
Fax (Free): 800 222 0002
Fax: (651) 426 9134
email: marketing@wilsonstool.com

Argentina

Wilson Tool International(r), Argentina
Von Wernicke 3041 PB
San Isidro, 1642 Buenos Aires
Argentina
Tel: +54 114 7634004
Fax: +54 114 5084190
email: ventasargentina@wilsonstool.com

China

No. 6 Building of 58
4018 Lane Huaning Road
Xinhuang Industry Park
201108 Shanghai, China
Tel: +86 21 51089638
Fax: +86 21 64422195
email: sales@wilsonstool.cn

South Africa

Wilson Tool South Africa Limited
Rynhurst Business Park
156 Pretoria Road
Rynfield
Benoni
1501
Gauteng
Republic of South Africa
Tel: +27 877 217 875
Fax: 086 657 8629
email: simon.penney@wilsonstool.com

Mexico

The Wilson Company SRL de CV
BLVD. Diaz Ordaz no 140 piso 20
Col. Santa Maria
Monterrey, Nuevo Leon
Mexico
C.P. 64650
Tel: 52 (81) 8865 4820
Fax: 52 (81) 8865 4599

Distribuitor Romania :

S.C. SM TECH S.R.L.
www.wilsonstool.ro
www.sm-tech.ro
office (at) sm-tech.ro
Tel : 0745-528494
Tel/Fax: 0231-515702

