

# Dulapuri pentru scule pentru maşini ştanţat CNC, dulapuri pentru scule abkant, cărucioare scule



## Distribuitor:

S.C. SM TECH S.R.L. www.sm-tech.ro / info @ sm-tech.ro

Tel: 0374-991480 Whatsapp: 0745-528494

## XTREME STORAGE SOLUTIONS



The Wilson tool cabinet XSC guarantees maximum organisation with minimum space requirements. Thanks to vertical drawers, the tools are always ready to hand.

- Ease of access from both sides.
- Perfectly tailored fittings ensure protective storage with an optimum use of space.
- Maximum payload of up to 4,500 kg per cabinet (up to 900 kg per drawer) thanks to extremely robust plastic rollers.
- Transport notches for lift trucks or carts enable quick transport when empty.

## HOW TO PICK THE RIGHT CABINET FOR YOU

## Key Code: X S C X Y Z

**XSC** - Xtreme Storage Cabinets

- X Defines the number of drawers[3] or [5] drawers
- Y Defines the **height** of the cabinet Small - 1240mm [1] Medium - 1620 mm [2]

Large - 2140 mm [3]

Z - Defines the **depth** of the cabinet Standard - 1050 mm [1] Extra - 1300 mm [2]



**Example: XSC 5** (drawers) **2** (1620mm) **1** (1050mm)

#### Other Examples:

XSC 312 = 3 drawers, small cabinet, extra depth

**XSC 521 =** 5 drawers, medium cabinet, standard depth

# XTREME STORAGE CABINETS - WITHOUT DRAWER INSERTS



Item	Description	Cat. No.	Price
XSC 531	1040 mm x 2140 mm x 1050 mm	55165	P.O.A
XSC 532	1040 mm x 2140 mm x 1300 mm	55129	P.O.A

Note: Each draw hold 900kg



Medium Cabinet 5 Drawers

Item	Description	Cat. No.	Price
XSC 521	1040 mm x 1620 mm x 1050 mm	55357	P.O.A
XSC 522	1040 mm x 1620 mm x 1300 mm	55358	P.O.A

Note: Each draw hold 900kg



Small Cabinet 3 Drawers



Small Cabinet 5 Drawers

Item	Description	Cat. No.	Price
XSC 311	660 mm x 1240 mm x 1050 mm	55125	P.O.A
XSC 312	660 mm x 1240 mm x 1300 mm	55292	P.O.A
XSC 511	1040 mm x 1240 mm x 1050 mm	55164	P.O.A
XSC 512	1040 mm x 1240 mm x 1300 mm	55128	P.O.A

Note: Each draw hold 900kg

# XTREME STORAGE CABINETS - FOR TRUMPF STYLE TOOLING



DRAWER IN	SERT TYPE						
Туре	Description	Capacity per drawer insert			Quantity		
XDI210	Punches size 1 and 2	80 punches	3	4	4	6	6
XDI211	Dies size 1	40 dies	4	4	6	8	6
XDI212	Dies size 2 and strippers	10 sets	3	4	5	7	5
XDI214	Special and forming tools	4 full sets	1	2	3	3	4
XDI215	Cartridge assemblies	5 cartridges	1	2	2	5	4
XDI216	Wilson 2-4-1 Punch inserts	76 pieces					
XDI217	Wilson 2-4-1 Die blades	60 dies max (size 1 and 2)					
XIS230	Multi-purpose 5 section tray	N/A (miscellaneous items)	2	3	3		
XIS231	Parting/slitting blades		1	2	2		
CABINET TY	PE						
XSC311	Cabinet 660w x 1240h x 1050d, 3 v	ertical drawers	1				
XSC511	Cabinet 1040w x 1240h x 1050d, 5	vertical drawers		1	1		
XSC521	(SC521 Cabinet 1040w x 1620h x 1050d, 5 vertical drawers					1	
XSC531	XSC531 Cabinet 1040w x 2140h x 1050d, 5 vertical drawers						1
		Cat. No.	55135	55136	55137	55361	55138
		Price	P.O.A	P.O.A	P.O.A	P.O.A	P.O.A

# XTREME DRAWER INSERTS - FOR TRUMPF STYLE TOOLING

XTREME DRAWER INSERTS - FOR TRUMPF STYLE TOOLING	
XDI 210	
For punches size 1 and 2 with, or without alignment ring, for 20 pieces max.	- 80
Cat. No. 55143	P.O.A
XDI 211	
For dies size 1, for 40 pieces max.	
Cat. No. 55144	P.O.A
XDI 212	
For dies size 2 or alignment collars or strippers, for 10 pieces or 10 max.	) sets
Cat. No. 55145	P.O.A
XDI 213	
For strippers, 40 pieces max.	
Cat. No. 55146	P.O.A
XDI 214	
For special and forming tools, fitting dies size 1 and 2, forming die punches size 0,1 and 2, punch inserts, tapping modules and stripp full sets max.	
Cat. No. 55147	P.O.A
XDI 215	
For setup cartridges, equipped or unequipped, 5 pieces max.	
Cat. No. 55148	P.O.A
XDI 216	
For Wilson 2-4-1 Punch Inserts, 76 pieces max.	
Cat. No. 55149	P.O.A
XDI 217	
For Wilson 2-4-1 Die Blades, 60 dies max. (size 1 and 2).	
Cat. No. 55150	P.O.A
XIS 230	
Additional storage for on top of vertical drawer for Size 0 punches,	
alignment collars, inserts; including 5 partiton plates.	
Available for small (1240mm) and medium (1620mm) cabinets only	
Cat. No. 55151	P.O.A
XIS 231	
Additional storage for on top of vertical drawer for Parting and	
Slitting blades. Available for small (1240mm) and medium (1620mm) cabine	ts only
Cat. No. 55152	P.O.A

# XTREME STORAGE CABINETS - FOR TURRET TOOLING



rawer Inser	rt Type			
Туре	Description	Capacity per drawer insert	Quantity	
XDI310	A station punch assemblies	20 punch assemblies	2	2
XDI311	A station dies	80 dies	1	1
XDI312	A station HP (Series 90) punches and dies	18 punches, 36 dies, 18 strippers	1	
XDI313	B station punch assemblies	20 Punch Assemblies	2	2
XDI314	B station dies	45 dies	2	2
XDI315	B station punches and dies	12 punch assemblies, 12 dies		
XDI316	B station HP (Series 90) punches and dies	10 punches, 20 dies	1	
XDI317	C station punch assemblies and dies	6 punch assemblies, 6 dies, 6 strippers	2	1
XDI318	C station HP (Series 90) punches	38 punches		
XDI319	C station HP (Series 90) punches and dies	13 punches, 13 dies, 13 strippers	1	
XDI320	C station Amada style punches	38 punches		
XDI321	C station Amada style punches and dies	12 punches, 12 dies, 12 strippers		1
XDI322	D station punch assemblies and dies	4 punch assemblies, 4 dies	2	2
XDI323	D station HP (Series 90) punches	11 punches		
XDI324	D station HP (Series 90) punches and dies	6 punches, 6 dies, 6 strippers	1	
XDI325	D station Amada style punches and dies	5 punches, 5 dies, 5 strippers		1
XDI326	E station punch assemblies and dies	4 punches, 4 dies	1	1
XDI327	E station HP (Series 90) punches and dies	5 punches, 5 dies	1	
XDI328	E station Amada style punches and dies	4 punches, 4 dies, 4 strippers		1
XIS360	Multi-purpose 5 section tray	N/A (miscellaneous items)	5	5
ABINET TY	PE .			
XSC511	Cabinet 1040w x 1240h x 1050d, 5 vertical draw	vers	1	1
		Cat. No.	55139	55140
		Price	P.O.A	P.O.A

# XTREME DRAWER INSERTS - FOR TURRET TOOLING

For A station dies, 80 dies max.  Cat. No. 55154 P.O.A  XDI 312  For A station HP (Series 90) punches and dies, 18 punches with strippers, 36 dies max.  Cat. No. 55155 P.O.A  XDI 313  For B station punch assemblies, 20 punch assemblies max.  Cat. No. 55156 P.O.A  XDI 314  For B station dies, 45 dies max.  Cat. No. 55157 P.O.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158 P.O.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159 P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160 P.O.A
Cat. No. 55153 P.O.A  XDI 311  For A station dies, 80 dies max.  Cat. No. 55154 P.O.A  XDI 312  For A station HP (Series 90) punches and dies, 18 punches with strippers, 36 dies max.  Cat. No. 55155 P.O.A  XDI 313  For B station punch assemblies, 20 punch assemblies max.  Cat. No. 55156 P.O.A  XDI 314  For B station dies, 45 dies max.  Cat. No. 55157 P.O.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158 P.O.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159 P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160 P.O.A
XDI 311  For A station dies, 80 dies max.  Cat. No. 55154  RD.A  XDI 312  For A station HP (Series 90) punches and dies, 18 punches with strippers, 36 dies max.  Cat. No. 55155  RD.A  XDI 313  For B station punch assemblies, 20 punch assemblies max.  Cat. No. 55156  RD.A  XDI 314  For B station dies, 45 dies max.  Cat. No. 55157  RD.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158  RD.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  RD.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  RD.A
For A station dies, 80 dies max.  Cat. No. 55154  RD.A  XDI 312  For A station HP (Series 90) punches and dies, 18 punches with strippers, 36 dies max.  Cat. No. 55155  RD.A  XDI 313  For B station punch assemblies, 20 punch assemblies max.  Cat. No. 55156  RD.A  XDI 314  For B station dies, 45 dies max.  Cat. No. 55157  RD.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158  RD.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  RD.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  RD.A
Cat. No. 55154 P.O.A  XDI 312  For A station HP (Series 90) punches and dies, 18 punches with strippers, 36 dies max.  Cat. No. 55155 P.O.A  XDI 313  For B station punch assemblies, 20 punch assemblies max.  Cat. No. 55156 P.O.A  XDI 314  For B station dies, 45 dies max.  Cat. No. 55157 P.O.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158 P.O.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159 P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160 P.O.A
For A station HP (Series 90) punches and dies, 18 punches with strippers, 36 dies max.  Cat. No. 55155  RO.A  XDI 313  For B station punch assemblies, 20 punch assemblies max.  Cat. No. 55156  RO.A  XDI 314  For B station dies, 45 dies max.  Cat. No. 55157  RO.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158  RO.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  RO.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  RO.A
For A station HP (Series 90) punches and dies, 18 punches with strippers, 36 dies max.  Cat. No. 55155  RO.A  XDI 313  For B station punch assemblies, 20 punch assemblies max.  Cat. No. 55156  RO.A  XDI 314  For B station dies, 45 dies max.  Cat. No. 55157  RO.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158  RO.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  RO.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  RO.A
strippers, 36 dies max.  Cat. No. 55155  RO.A  XDI 313  For B station punch assemblies, 20 punch assemblies max.  Cat. No. 55156  RO.A  XDI 314  For B station dies, 45 dies max.  Cat. No. 55157  RO.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158  RO.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  RO.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  RO.A
For B station punch assemblies, 20 punch assemblies max.  Cat. No. 55156 P.O.A  XDI 314  For B station dies, 45 dies max.  Cat. No. 55157 P.O.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158 P.O.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159 P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160 P.O.A
For B station punch assemblies, 20 punch assemblies max.  Cat. No. 55156  RO.A  XDI 314  For B station dies, 45 dies max.  Cat. No. 55157  RO.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158  RO.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  RO.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  RO.A
Cat. No. 55156 P.O.A  XDI 314  For B station dies, 45 dies max.  Cat. No. 55157 P.O.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158 P.O.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159 P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160 P.O.A
For B station dies, 45 dies max.  Cat. No. 55157  P.O.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158  P.O.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  P.O.A
For B station dies, 45 dies max.  Cat. No. 55157  P.O.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158  P.O.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  P.O.A
Cat. No. 55157  P.O.A  XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158  P.O.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  P.O.A
XDI 315  For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158  ROA  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  ROA  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  ROA  P.O.A
For B station punch assemblies and dies, 12 punch assemblies and 12 dies max.  Cat. No. 55158  P.O.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  P.O.A
dies max.  Cat. No. 55158  P.O.A  XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  P.O.A
XDI 316  For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  R.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  P.O.A
For B station HP (Series 90) punches and dies, 10 punches and 20 dies max.  Cat. No. 55159  P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  P.O.A
max.  Cat. No. 55159  P.O.A  XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  P.O.A
XDI 317  For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  P.O.A
For C station punch assemblies and dies, 6 punches and 6 dies max.  Cat. No. 55160  P.O.A
Cat. No. 55160 P.O.A
XDI 318
For C station HP (Series 90) punches, 38 punches max.
Cat. No. 55161 P.O.A
XDI 319  For C station HP (Series 90) punches and dies, 13 punches with strippers and 13 dies max.
Cat. No. 55196 P.O.A

# XTREME DRAWER INSERTS - FOR TURRET TOOLING

XDI 320	
For C station Amada style punches, 38 punches max.	
Cat. No. 55197 P.	P.O.A
XDI 321	
For C station Amada style punches, dies and strippers; 12 punches, dies and 12 strippers max.	s, 12
Cat. No. 55198 P.	P.O.A
XDI 322	
For D station punch assemblies and dies, 4 punches and 4 dies max.	
Cat. No. 55199 P.	P.O.A
XDI 323	
For D station HP (Series 90) punches, 11 punches max.	
Cat. No. 55200 P.	P.O.A
XDI 324	
For D station HP (Series 90) punch and dies, 6 punches with strippe and 6 dies max.	oers
Cat. No. 55201 P.	P.O.A
XDI 325	
For D station Amada style punches, dies and strippers; 5 punches, 5 dies and 5 strippers max.	5
	P.O.A
Cat. No. 55202 P.	
Cat. No. 55202 P. XDI 326	
	X.
XDI 326  For E station punch assemblies and dies, 4 punches and 4 dies max.	x. P.O.A
XDI 326  For E station punch assemblies and dies, 4 punches and 4 dies max.	
XDI 326  For E station punch assemblies and dies, 4 punches and 4 dies max.  Cat. No. 55203  P.	P.O.A
XDI 326  For E station punch assemblies and dies, 4 punches and 4 dies max.  Cat. No. 55203  P.  XDI 327  For E station HP (Series 90) punches and dies, 5 punches, 5 dies an strippers max.	P.O.A
XDI 326  For E station punch assemblies and dies, 4 punches and 4 dies max.  Cat. No. 55203  P. XDI 327  For E station HP (Series 90) punches and dies, 5 punches, 5 dies an strippers max.	P.O.A and 5
XDI 326  For E station punch assemblies and dies, 4 punches and 4 dies max.  Cat. No. 55203  P.  XDI 327  For E station HP (Series 90) punches and dies, 5 punches, 5 dies an strippers max.  Cat. No. 55204  P.	P.O.A and 5
For E station punch assemblies and dies, 4 punches and 4 dies max.  Cat. No. 55203  P. XDI 327  For E station HP (Series 90) punches and dies, 5 punches, 5 dies an strippers max.  Cat. No. 55204  XDI 328  For E station Amada style punches, dies and strippers; 4 punches, 4 dies and 4 strippers max.	P.O.A and 5
For E station punch assemblies and dies, 4 punches and 4 dies max.  Cat. No. 55203  P. XDI 327  For E station HP (Series 90) punches and dies, 5 punches, 5 dies an strippers max.  Cat. No. 55204  XDI 328  For E station Amada style punches, dies and strippers; 4 punches, 4 dies and 4 strippers max.	P.O.A  P.O.A
For E station punch assemblies and dies, 4 punches and 4 dies max.  Cat. No. 55203  P.  XDI 327  For E station HP (Series 90) punches and dies, 5 punches, 5 dies an strippers max.  Cat. No. 55204  P.  XDI 328  For E station Amada style punches, dies and strippers; 4 punches, 4 dies and 4 strippers max.  Cat. No. 55205  P.	P.O.A  P.O.A



# XTREME STORAGE CABINETS & DRAWERS - FOR PRESS BRAKE TOOLING




XTREME	KTREME STORAGE CABINET SETS FOR PRESS BRAKE TOOLING*							
DRAWER	R INSERT TYPE							
Туре	Description	Quantity						
XDI102	Press Brake tools (approx 1.7m per)	9		15		20		20
XDI103	Press Brake tools (approx 2.2m per)		9		15		20	
XDI401	Tray for storage boxes (16 size boxes)							10
CABINET	ТҮРЕ							
XSC311	Cabinet 660w x 1240h x 1050d, 3 vertical drawers	1						
XSC312	Cabinet 660w x 1240h x 1300d, 3 vertical drawers		1					
XSC511	Cabinet 1040w x 1240h x 1050d, 5 vertical drawers			1				
XSC512	Cabinet 1040w x 1240h x 1300d, 5 vertical drawers				1			
XSC521	Cabinet 1040w x 1620h x 1050d, 5 vertical drawers					1		
XSC522	Cabinet 1040w x 1620h x 1300d, 5 vertical drawer						1	
XSC531	Cabinet 1040w x 2140h x 1050d, 5 vertical drawer							1
	Press Brake tool capacity	15.3 m	19.8 m	25.5 m	33 m	34 m	44 m	34 m
	Cat. No.	55130	55293	55131	55133	55359	55360	55132
	Price P.O.A P.O.A P.O.A P.O.A P.O.A P.O.A P.O.A						P.O.A	
	* Special delivery items. Please contact us for delivery price.							

Special delivery items. Please contact as for delivery price

XTREME DRAWER INSERTS - FOR PRESS BRAKE STYLE TOOLING	
XDI 102	A.
For approx. 1.7 metres of tools, fits in XSC 311, XSC 511, XSC 521 & XSC 531.	
Cat. No. 55141 P.O.A	
XDI 103	A May
For approx. 2.2 metres of tools, fits in XSC 312, XSC 512, XSC 522 & XSC 532.	
Cat. No. 55142 P.O.A	

# XTREME DRAWER INSERTS - CUSTOMISED

XTREME DRAWER INSERTS FOR WORKSHOP	P EQUIPMENT
XDI 400*	
Multipurpose tool tray, including 5 partitions	
Cat. No. 55207	P.O.A
XDI 401*	
Tray for storage boxes; fits in XSC 311, XSC 511	L, XSC 521 & XSC 531.
Cat. No. 55208	P.O.A
XDI 402*	
Tray for storage boxes; fits in XSC 312, XSC 512	2, XSC 522 & XSC 532.
Cat. No. 55209	P.O.A
**Note: Special shipping costs apply; please con:	sult the sales desk for more informa




If the current range of drawer inserts does not meet your tooling requirements, we can offer custom made units to suit specific tooling requirements and quantities.

Contact the Sales desk for more information on sales@wilsontool.eu.com

## TOOL HANDLING AND STORAGE

55217

#### STORAGE BOXES AND PERFORATED WALLS Perforated wall Box size 4 Box size 7 Box size 8 Description Type Size Cat. No. Price XSB 210 Box size 8 85 x 105 x 45 55210 160 x 100 x 75 55211 XSB 211 Box size 7 XSB 212 350 x 220 x 145 55212 Box size 4 Perforated wall for XSC 311, XSC 511, XSC 531 XPW 440 910 x 250 55213 P.O.A XPW 441 Perforated wall for XSC 311, XSC 511, XSC 531 910 x 895 55214 XPW 442 Perforated wall for XSC 531 910 x 1795 55215 XPW 443 Perforated wall for XSC 512, XSC 532 1162 x 895 55216



## TOOL HANDLING AND STORAGE



## XWT 580 BASIC TROLLEY\*

Basic model including 1 drawer, 1 level shelf and 1 rubber mat. Trolley sides have perforated walls for "shadow board" tool storage (compatible with all drawer inserts) except XDI 103 and XDI 402

Colour: blue RAL5002 and grey RAL9006

Total payload: 400 kg

Dimensions (mm): 582w x 922d x 922h

Cat. No. 55272 P.O.A



## XWT 581 PRESS BRAKE TROLLEY\*

Press Brake - including 1 drawer, 2 sloped shelves with middle partition and 1 rubber mat. Trolley sides have perforated walls for "shadow board" tool storage. Compatible with hook sets.

Colour: blue RAL5002 and grey RAL9006

Total payload: 400 kg

Dimensions (mm): 582w x 922d x 922h

Cat. No. 55273 P.O.A



## XWT 582 PRESS BRAKE PLUS TROLLEY\*

Press Brake - including 1 drawer, 2 sloped shelves with middle partition and 3 tool carriers. Trolley sides have perforated walls for "shadow board" tool storage. Compatible with hook sets.

Colour: blue RAL5002 and grey RAL9006

Total payload: 400 kg

Dimensions (mm): 582w x 922d x 922h

Cat. No. 55274

\*Special delivery items. Please contact us for delivery price.



#### XWT 583 TRUMPF STYLE TROLLEY\*

Trumpf style - including 1 drawer, 1 level shelf and 9 tool retainers for cartridge assemblies. Capacity 45 cartridges. Trolley sides have perforated walls for "shadow board" tool storage. Compatible with hook sets.

Colour: blue RAL5002 and grey RAL9006

Total payload: 400 kg

P.O.A

Dimensions (mm): 582w x 922d x 922h

Cat. No. 55275 P.O.A



## TOOL HANDLING AND STORAGE



## XWT 584 TURRET STYLE TROLLEY\*

Turret style - including 1 drawer, 1 level shelf and 3 tool retainers (XDI 315, XDI 317 and XDI 322). Capacity 12x B station punches/dies, 6x C station punches/dies and 4x D station punches/dies. Trolley sides have perforated walls for "shadow board" tool storage. Compatible with hook sets.

Colour: blue RAL5002 and grey RAL9006

Total payload: 400 kg

Dimensions (mm): 582w x 922d x 922h

Cat. No. 55276 P.O.A



## XWT 585 PARTS STORING TROLLEY\*

Including 1 drawer, 2 sloped shelves, 3 small shelves, 20 storage boxes of size 4 and 24 storage boxes of size 7. Trolley sides have perforated walls for "shadow board" tool storage. Compatible with hook sets.

Colour: blue RAL5002 and grey RAL9006

Total payload: 400 kg

Dimensions (mm): 582w x 922d x 1370h

Cat. No. 55277

P.O.A



## PRESS BRAKE TOOLING CABINET\*

- · Solid steel construction
- Mobile base with heavy duty casters with rated capacity of 408 kilograms each
- Three 177mm drawers capable of holding five punches each
- Two 50.8mm drawers capable of holding five dies each
- Punches are held upright in custom steel U-channels to prevent damage to tips and mounting tongues
- Dies are separated by custom U-channels to prevent damage to V-openings

- Individual latches on all drawers
- Safety interlock to prevent the opening of more than one drawer at a time
- Full width handles with clear end caps and paper labelling strips with clear protective label covers
- Retainer top with rubber mat
- Dimensions (mm): 1067(h) x 1022(w) x 571(d)

Cat No. 90007 P.O.A



**CLEANING STATION** 



**COOLANT STATION** 

## **IDEAL FOR A 5S IMPLEMENTED WORK-SPACE**

Introducing the new Cleaning and Coolant stations from Wilson Tool, these compact and easy to move units can help you find the products you need quickly and efficiently. The use of shadow boards means each product has it's own location, making items easier to locate and return. This is an ideal product to help you implement 5S, a method that encourages organisation, identification and efficiency in a lean manufacturing environment.

Description	Cat. No.	Price
Cleaning Station	55364	P.O.A
Cleaning Station - 2 sides	55365	P.O.A
Coolant Station	55366	P.O.A