



Sharpening your punch press tooling is simpler and faster with the unique and innovative **X-Sharp™ Grinder** from Wilson Tool.

THE BENEFITS OF CORRECT AND PROFESSIONAL REGRINDING INCLUDE:

- Burr-free, quality parts straight off the punch press
- Longer tool life for reduced tooling costs
- No scrapped or wasted sheets due to tooling malfunction
- Reduced wear on your punch press

AUTOMATED TOOL SHARPENING WITH THE X-SHARP™ GRINDER

FIVE STEPS TO A SHARPER EDGE

STEP 1: Load the tool into the chuck

STEP 2: Set the tool style

STEP 3: Set the tool size

STEP 4: Set the amount to grind (in 0.01mm increments)


STEP 5: Touch the start button to sharpen the tool



STEP 1



STEP 2



STEP 3



STEP 4



STEP 5

DESCRIPTION	CAT NO.
Wilson X-Sharp™ Grinder	55106
X-Sharp™ Shear Grinding Chuck	55115
Grinding Wheel	55109
TECHNICAL SPECIFICATION	
Maximum Tool Diameter	160 mm
Maximum Tool Height	230 mm
Maximum Grind Per Grinding Cycle	0.99 mm
Air Pressure Supply	6 bar
Power Supply	AC415 V 3 ph +N - 50 Hz / 3 x 16 A
Grinding Motor Power	2.2 kW
Wheel Rotation Speed	2800 rpm
Table Motor Power	0.18 kW
Table Rotation Speed	40
Coolant Pump Power	0.16 kW
Coolant Pump Water Flow	Max. 40 l/min

Scan the QR code to watch the video



FEATURES

Fully Automated Grinding Process

The regrind process on the X-Sharp™ is fully automated and needs no previous grinding experience. After mounting the tool in the tool holder, the operator selects the tool size and how much to regrind and touches the start button. The operator is then free to return to other production tasks. When sharpening is complete, compressed air cleans the tool then the machine returns to its original position and switches off.

Suitable for All Tooling Styles

With a flexible range of chucks and adapters, the X-Sharp can be used to sharpen all punch press tooling styles.

Precision

The X-Sharp™ uses an AC-servo motor driving a precision gear and ball screw with dual linear guides and four carriers to provide highly stable bearing properties. This ensures a high level of precision and an excellent surface finish on your sharpened tools, giving maximum return on your investment.

Automated Height Detection

The X-Sharp™ automatically measures the height of any tool mounted in the chuck before the grinding cycle begins.

Automatic Grinding Wheel Wear Compensation

The X-Sharp™ automatically compensates for grinding wheel wear during machine start up.

Shear Grinding

Punches with shears can also be sharpened using the X-Sharp™ shear grinding chuck.

Coolant

The X-Sharp™ is equipped with a powerful closed coolant system, ensuring the tool is constantly flooded with coolant during the grinding process. This prevents burning and surface cracking, improving the quality of the grind and helping to maximise your tool life by giving you a factory sharp edge every time.

Frame

The machine has a heavy-duty cast-iron frame. This gives the X-Sharp™ superior frame stability, a fundamental requirement for professional quality grinding.

Touchscreen Controller

The X-Sharp™ has a touchscreen controller with user-friendly multi-language interface for easy operation of the machine. Interface language can be selected during machine set up.

Interlocking Safety Guard

The X-Sharp™ is equipped with an interlocking safety guard that opens and closes automatically. The guard encloses the entire grinding area to protect the operator.


Grinding Space

With a unique safety guard design, the grinding space on the X-Sharp™ is easily accessible from three sides. This makes the loading and unloading of tools quick and easy, and allows straightforward access for cleaning.

Footprint

The small footprint of the X-Sharp™ means the machine can easily be placed next to the punch press. With the automation features of the X-Sharp™, the operator can continue to use the punch press while a tool is being sharpened.

Machine Dimensions



For more information, visit wilsontool.com, call our tooling technicians at +44 (0) 1793 831 818 or contact your sales engineer.